

GEOTECHNICAL ENGINEERING – UNSATURATED AND SATURATED SOILS –

**By
Jean-Louis BRIAUD**

Units

Acknowledgements

1. INTRODUCTION

- 1.1. Why this book
- 1.2. Geotechnical engineering
- 1.3. The past and the future
- 1.4. Some recent and notable projects
- 1.5. Failures may occur
- 1.6. Our work is buried
- 1.7. Geotechnical engineering can be fun
- 1.8. Units
- 1.9. Problems and solutions

2. ENGINEERING GEOLOGY

- 2.1. Definition
- 2.2. The Earth
- 2.3. Geologic Time
- 2.4. Rocks
- 2.5. Soils
- 2.6. Geological features
- 2.7. Geologic maps
- 2.8. Ground water
- 2.9. Problems and solutions

3. SOIL COMPONENTS

- 3.1. Particles, liquid, and gas
- 3.2. Particle size, shape, and color
- 3.3. Composition of gravel, sand, and silt particles
- 3.4. Composition of clay and silt particles
- 3.5. Particle behavior
- 3.6. Soil structure
- 3.7. Three phase diagram
- 3.8. Weight volume parameters
- 3.9. Measurement of the weight volume parameters

- 3.10. Solving a weigh volume problem
- 3.11. Problems and solutions

4. CLASSIFICATION TESTS AND CLASSIFICATIONS

- 4.1. Sieve analysis
- 4.2. Hydrometer analysis
- 4.3. Atterberg limits and other limits
- 4.4. Classification parameters
- 4.5. Engineering significance of classification parameters and plasticity chart
- 4.6. Unified Soil Classification System – USCS
- 4.7. Problems and solutions

5. ROCKS AND INTERMEDIATE GEOMATERIALS

- 5.1. Rock groups and identification
- 5.2. Rock mass vs. rock substance
- 5.3. Rock discontinuities
- 5.4. Rock index properties
- 5.5. Rock engineering properties
- 5.6. Rock mass rating
- 5.7. Rock engineering problems
- 5.8. Permafrost
- 5.9. Problems and solutions

6. SITE INVESTIGATION, DRILLING, AND SAMPLING

- 6.1. General
- 6.2. Preliminary site investigation
- 6.3. Number and depth of borings and in-situ tests
- 6.4. Drilling
 - 6.4.1. Wet rotary drilling method
 - 6.4.2. Hollow stem auger drilling method
- 6.5. Sampling
 - 6.5.1. Sample disturbance
 - 6.5.2. Common sampling methods
- 6.6. Ground water level
- 6.7. Field identification and boring logs
- 6.8. Soil names
- 6.9. Offshore site investigations
 - 6.9.1. Offshore geophysical investigations
 - 6.9.2. Offshore geotechnical drilling
 - 6.9.3. Offshore geotechnical sampling
- 6.10. Problems and solutions

7. IN SITU TESTS

- 7.1. Standard Penetration Test (SPT)
- 7.2. Cone Penetration Test (CPT)
- 7.3. Pressuremeter Test (PMT)
- 7.4. Dilatometer test (DMT)
- 7.5. Vane shear test (VST)
- 7.6. Borehole shear test (BST)
- 7.7. Plate load test (PLT)
- 7.8. California Bearing Ratio Test (CBR)
- 7.9. Pocket penetrometer, torvane test
- 7.10. Pocket erodometer test
- 7.11. Compaction control tests
 - 7.11.1. Sand cone test (SCT)
 - 7.11.2. Rubber balloon test (RBT)
 - 7.11.3. Nuclear density/water content test (NDWCT)
 - 7.11.4. Field oven test (FOT)
 - 7.11.5. Lightweight deflectometer test (LWDT)
 - 7.11.6. BCD test (BCDT)
- 7.12. Hydraulic conductivity field tests (HCT)
 - 7.12.1. The borehole tests
 - 7.12.2. The cone penetrometer dissipation test (CPDT)
 - 7.12.3. The sealed double ring infiltrometer test (SDRIT)
 - 7.12.4. The two stage borehole permeameter test (TSBPT)
- 7.13. Offshore in situ tests
- 7.14. Problems and solutions

8. ELEMENTS OF GEOPHYSICS

- 8.1. General
- 8.2. Seismic Techniques
 - 8.2.1. Seismic waves
 - 8.2.2. Seismic reflection
 - 8.2.3. Seismic refraction
 - 8.2.4. Cross hole test, seismic cone test, seismic dilatometer test
 - 8.2.5. Spectral Analysis of Surface Waves (SASW)
- 8.3. Electrical resistivity techniques
 - 8.3.1. Background on electricity
 - 8.3.2. Resistivity tomography
- 8.4. Electromagnetic methods
 - 8.4.1. Electromagnetic waves
 - 8.4.2. Ground penetrating radar (GPR)
 - 8.4.3. Time Domain Reflectometry (TDR)
- 8.5. Remote sensing techniques
 - 8.5.1. Lidar
 - 8.5.2. Satellite imaging
- 8.6. Problems and solutions

9. LABORATORY TESTS

- 9.1. General
- 9.2. Measurements
 - 9.2.1. Normal stress or pressure
 - 9.2.2. Shear stress
 - 9.2.3. Water compression stress
 - 9.2.4. Water tension stress
 - 9.2.5. Normal strain
 - 9.2.6. Shear strain
 - 9.2.7. Bender elements
- 9.3. Compaction Test – Dry unit weight
 - 9.3.1. Saturated Soils
 - 9.3.2. Unsaturated Soils
- 9.4. Compaction Test – Soil modules
 - 9.4.1. Saturated Soils
 - 9.4.2. Unsaturated Soils
- 9.5. Consolidation Test
 - 9.5.1. Saturated Soils
 - 9.5.2. Unsaturated Soils
- 9.6. Swell Test
 - 9.6.1. Saturated Soils
 - 9.6.2. Unsaturated Soils
- 9.7. Shrink Test
 - 9.7.1. Saturated Soils
 - 9.7.2. Unsaturated Soils
- 9.8. Collapse Test
 - 9.8.1. Saturated Soils
 - 9.8.2. Unsaturated Soils
- 9.9. Direct Shear Test
 - 9.9.1. Saturated Soils
 - 9.9.2. Unsaturated Soils
- 9.10. Simple Shear Test
 - 9.10.1. Saturated Soils
 - 9.10.2. Unsaturated Soils
- 9.11. Unconfined Compression Test
 - 9.11.1. Saturated Soils
 - 9.11.2. Unsaturated Soils
- 9.12. Triaxial Test
 - 9.12.1. Saturated Soils
 - 9.12.2. Unsaturated Soils
- 9.13. Resonant Column Test
 - 9.13.1. Saturated Soils
 - 9.13.2. Unsaturated Soils
- 9.14. Lab Vane Test

- 9.14.1. Saturated Soils
- 9.14.2. Unsaturated Soils
- 9.15. Soil Water Retention Curve (Soil Water Characteristic Curve) Test
 - 9.15.1. Saturated Soils
 - 9.15.2. Unsaturated Soils
- 9.16. Constant Head Permeameter Test
 - 9.16.1. Saturated Soils
 - 9.16.2. Unsaturated Soils
- 9.17. Falling Head Permeameter Test for Saturated Soils
- 9.18. Wetting Front Test for Unsaturated Soils
- 9.19. Air Permeability Test for Unsaturated Soils
- 9.20. Erosion Test
 - 9.20.1. Saturated Soils
 - 9.20.2. Unsaturated Soils
- 9.21. Problems and solutions

10. EFFECTIVE STRESS, WATER STRESS, AIR STRESS AND STRAINS

- 10.1. General
- 10.2. Stress vector, normal stress, shear stress, stress tensor
- 10.3. Sign convention for stresses and strains
- 10.4. Calculating stresses on any plane: equilibrium equations for two dimensional analysis
- 10.5. Calculating stresses on any plane: Mohr circle for two dimensional analysis
- 10.6. Mohr circle in three dimensions
- 10.7. Stress invariants
- 10.8. Displacements
- 10.9. Normal strain, shear strain, strain tensor
- 10.10. Cylindrical coordinates and spherical coordinates
- 10.11. Stress-strain curves
- 10.12. Stresses in the three soil phases
- 10.13. Effective stress (unsaturated soils)
- 10.14. Effective stress (saturated soils)
- 10.15. Area ratio factors α and β
- 10.16. Water stress profiles
- 10.17. Water tension, suction
 - 10.17.1. Matric suction
 - 10.17.2. Contractile skin
 - 10.17.3. Osmotic suction
 - 10.17.4. Relationship between total suction and relative humidity
 - 10.17.5. Trees
- 10.18. Precision on water content and water tension
- 10.19. Stress profile at rest in unsaturated soils
- 10.20. Soil Water Retention Curve
- 10.21. Independent Stress State variables
- 10.22. Problems and solutions

11. PROBLEM SOLVING METHODS

- 11.1. General
- 11.2. Drawing to scale as a first step
- 11.3. Available laws
- 11.4. Continuum Mechanics Methods
 - 11.4.1. Solving a failure problem – limit equilibrium, method of characteristics, lower and upper bound theorems
 - 11.4.2. Examples of solving a failure problem
 - 11.4.3. Solving a deformation problem
 - 11.4.4. Example of solving a deformation problem
 - 11.4.5. Solving a flow problem
 - 11.4.6. Example of solving a flow problem
- 11.5. Numerical Simulation Methods (FDM, FEM, DEM, BEM)
 - 11.5.1. Finite difference method
 - 11.5.2. Examples of finite difference solution
 - 11.5.3. Finite element method
 - 11.5.4. Example of finite element solution
 - 11.5.5. Boundary element method
 - 11.5.6. Discrete element method
 - 11.5.7. Example of discrete element solution
- 11.6. Probability and Risk Analysis
 - 11.6.1. Background
 - 11.6.2. Procedure for probability approach
 - 11.6.3. Risk and acceptable risk
 - 11.6.4. Example of probability approach
- 11.7. Regression analysis
 - 11.7.1. Basic concepts
 - 11.7.2. Example of regression analysis
- 11.8. Artificial neural network method
 - 11.8.1. General methodology for ANN
 - 11.8.2. ANN Example
- 11.9. Dimensional analysis
 - 11.9.1. Buckingham Π theorem
 - 11.9.2. Examples of dimensional analysis
- 11.10. Similitude laws for experimental simulations
 - 11.10.1. Similitude laws
 - 11.10.2. Example of similitude laws application for a scaled model
 - 11.10.3. Example of similitude laws application for a centrifuge model
- 11.11. Types of Analyses (drained–undrained, effective stress–total stress, short term–long term)
- 11.12. Problems and solutions

12. SOIL CONSTITUTIVE MODELS

- 12.1. Elasticity

- 12.1.1. Elastic model
- 12.1.2. Example of use of elastic model
- 12.2. Linear viscoelasticity
 - 12.2.1. Simple models: Maxwell and Kelvin-Voigt models
 - 12.2.2. General linear viscoelasticity
- 12.3. Plasticity
 - 12.3.1. Some yield functions and yield criterions
 - 12.3.2. Example of use of yield criterions
 - 12.3.3. Plastic potential function and flow rule
 - 12.3.4. Hardening, softening rule
 - 12.3.5. Example of application of plasticity method
- 12.4. Common models
 - 12.4.1. Duncan-Chang hyperbolic model
 - 12.4.2. Modified Cam Clay model
 - 12.4.3. Barcelona Basic model
 - 12.4.4. Water stress predictions
- 12.5. Problems and solutions

13. FLOW OF FLUID AND GAS THROUGH SOILS

- 13.1. General
- 13.2. Flow of water in a saturated soil
 - 13.2.1. Discharge velocity, seepage velocity, conservation of mass
 - 13.2.2. Heads
 - 13.2.3. Hydraulic gradient
 - 13.2.4. Darcy's Law is the constitutive law
 - 13.2.5. Hydraulic conductivity
 - 13.2.6. Field vs. Lab value of hydraulic conductivity
 - 13.2.7. Seepage force
 - 13.2.8. Quick sand condition and critical hydraulic gradient
 - 13.2.9. Quick clay
 - 13.2.10. Sand liquefaction
 - 13.2.11. Two dimensional flow problem
 - 13.2.12. Drawing a flow net for homogeneous soil
 - 13.2.13. Properties of a flow net for homogeneous soil
 - 13.2.14. Calculations associated with flow nets
 - 13.2.15. Flow net for hydraulically anisotropic soil
 - 13.2.16. Flow and flow net for layered soils
- 13.3. Flow of water and air in unsaturated soil
 - 13.3.1. Hydraulic conductivity for water and for air
 - 13.3.2. One dimensional flow
 - 13.3.3. Three dimensional water flow
 - 13.3.4. Three dimensional air flow
- 13.4. Problems and solutions

14. DEFORMATION

- 14.1. Modulus of deformation – general
- 14.2. Modulus – which one?
- 14.3. Modulus – influence of state factor
- 14.4. Modulus – influence of loading factor
- 14.5. Modulus – differences between fields of application
- 14.6. Modulus, modulus of subgrade reaction, and stiffness
- 14.7. Common values of Young's modulus and Poisson's ratio
- 14.8. Correlations with other tests
- 14.9. Modulus, a comprehensive model
- 14.10. Initial tangent modulus G_0 or G_{max}
- 14.11. Reduction of G_{max} with strain, the G/G_{max} curve
- 14.12. Preconsolidation pressure and overconsolidation ratio from consolidation test
- 14.13. Compression index, recompression index, secondary compression index from consolidation test
- 14.14. Time effect from consolidation test
- 14.15. Modulus, time effect, cyclic effect from the pressuremeter test
- 14.16. Resilient modulus for pavements
- 14.17. Unsaturated soils, effect of drying and wetting on the modulus
- 14.18. Shrink-swell deformation behavior, shrink-swell modulus
- 14.19. Collapse deformation behavior
- 14.20. Problems and solutions

15. SHEAR STRENGTH

- 15.1. General
- 15.2. Basic experiments
- 15.3. Stress strain curve, water stress response, and stress path
- 15.4. Shear strength envelope
- 15.5. Unsaturated soils
- 15.6. Experimental determination of shear strength (lab tests, in situ tests)
- 15.7. Estimating effective stress shear strength parameters
- 15.8. Undrained shear strength of saturated fine grained soils
- 15.9. The ratio su/σ_{ov}' and the SHANSEP method
- 15.10. Undrained shear strength for unsaturated soils
- 15.11. Pore pressure parameters A and B
- 15.12. Estimating undrained shear strength values
- 15.13. Residual strength parameters and sensitivity
- 15.14. Strength profiles
- 15.15. Types of analyses
- 15.16. Transformation from effective stress solution to undrained strength solution
- 15.17. Problems and solutions

16. THERMODYNAMICS FOR SOIL PROBLEMS

- 16.1. General

- 16.2. Definitions
- 16.3. Constitutive and fundamental laws
- 16.4. Heat conduction theory
- 16.5. Axisymmetric heat propagation
- 16.6. Thermal properties of soils
- 16.7. Multilayer systems
- 16.8. Applications
- 16.9. Frozen soils
- 16.10. Problems and solutions

17. SHALLOW FOUNDATIONS

- 17.1. Definitions
- 17.2. Case history
- 17.3. Definitions and design strategy
- 17.4. Limit states, load and resistance factors, factor of safety
- 17.5. General behavior
- 17.6. Ultimate bearing capacity
 - 17.6.1. Direct strength equations
 - 17.6.2. Terzaghi's ultimate bearing capacity equation
 - 17.6.3. Layered soils
 - 17.6.4. Special loading
 - 17.6.5. Ultimate bearing capacity of unsaturated soils
- 17.7. Load Settlement Curve Approach
- 17.8. Settlement
 - 17.8.1. General behavior
 - 17.8.2. Elasticity approach for homogeneous soils
 - 17.8.3. Elasticity approach for layered soils
 - 17.8.4. Chart approach
 - 17.8.5. General approach
 - 17.8.6. Zone of influence
 - 17.8.7. Stress increase with depth
 - 17.8.8. Choosing a stress strain curve, setting up the calculations,
 - 17.8.9. Consolidation settlement: magnitude
 - 17.8.10. Consolidation settlement: time rate
 - 17.8.11. Creep settlement
 - 17.8.12. Bearing pressure values
- 17.9. Shrink-swell movement, swelling pressures, collapse movement
 - 17.9.1. Water content or water tension vs. strain curve
 - 17.9.2. Shrink-swell movement calculation methods
 - 17.9.3. Step by step procedure
 - 17.9.4. Case history
- 17.10. Foundations on shrink swell soils
 - 17.10.1. Types of foundations on shrink swell soils
 - 17.10.2. Design method for stiffened slabs on grade
- 17.11. Tolerable movements

- 17.12. Large mat foundations
 - 17.12.1. General principles.
 - 17.12.2. Example of settlement calculations
 - 17.12.3. Two case histories.
- 17.13. Problems and solutions

18. DEEP FOUNDATIONS

- 18.1. Different types
- 18.2. Design strategy
- 18.3. Pile installation
 - 18.3.1. Installation of bored piles
 - 18.3.2. NDT testing of bored piles
 - 18.3.3. Installation of driven piles
 - 18.3.4. Pile driving formulas
 - 18.3.5. Wave propagation in a pile
 - 18.3.6. Wave equation analysis
 - 18.3.7. Information from pile driving measurements (PDA, Case, CAPWAP)
 - 18.3.8. Suction caissons
 - 18.3.9. Load testing (Static, Statnamic, Osterberg)
- 18.4. Vertical load – single pile
 - 18.4.1. Ultimate vertical capacity for a single pile
 - 18.4.2. Miscellaneous questions on the ultimate capacity of a single pile
 - 18.4.3. Settlement of a Single Pile
- 18.5. Vertical load – pile group
 - 18.5.1. Ultimate vertical capacity of a pile group
 - 18.5.2. Settlement of pile groups
- 18.6. Downdrag
 - 18.6.1. Definition and behavior
 - 18.6.2. Downdrag on a single pile
 - 18.6.3. Example downdrag calculations
 - 18.6.4. LRFD provisions
 - 18.6.5. Downdrag on a group of piles
- 18.7. Piles in shrink-swell soils
- 18.8. Horizontal load and moment–single pile
 - 18.8.1. Definitions and behavior
 - 18.8.2. Ultimate capacity
 - 18.8.3. Displacement and Maximum Moment – flexible pile
 - 18.8.4. Displacement and Maximum Moment – rigid pile
 - 18.8.5. Modulus of subgrade reaction
 - 18.8.6. Free head and fixed head condition
 - 18.8.7. Rate of loading effect
 - 18.8.8. Cyclic loading effect
 - 18.8.9. P-y curve approach
 - 18.8.10. Horizontal loading next to a trench
- 18.9. Horizontal load and Moment - pile group

- 18.9.1. Overturning moment
- 18.9.2. Ultimate capacity
- 18.9.3. Movement
- 18.10. Combined Piled Raft Foundation (CPRF)
- 18.11. Problems and solutions

19. SLOPE STABILITY

- 19.1. General
- 19.2. Design approach
- 19.3. Infinite slopes
- 19.4. Seepage force in stability analysis
- 19.5. Plane surfaces
- 19.6. Block analysis
- 19.7. Slopes with water in tensile crack
- 19.8. Chart methods
 - 19.8.1. Taylor chart
 - 19.8.2. Spencer chart
 - 19.8.3. Janbu chart
 - 19.8.4. Morgenstern chart
- 19.9. Method of slices
 - 19.9.1. Ordinary method of slices (Fellenius, 1927)
 - 19.9.2. Bishop simplified method (Bishop, 1955)
 - 19.9.3. Generalized equilibrium method (Abramson et al. 2002)
 - 19.9.4. Critical failure circle
- 19.10. Water stress for slope stability
- 19.11. Types of analyses:
- 19.12. Progressive failure in strain softening soils
- 19.13. Shallow slide failures in compacted unsaturated embankments
- 19.14. Reinforced slopes
 - 19.14.1. Reinforcement type
 - 19.14.2. Factor of safety
- 19.15. Probabilistic approach
- 19.16. Three dimensional (3D) circular failure analysis
- 19.17. Finite element analysis.
- 19.18. Seismic slope analysis
- 19.19. Monitoring
- 19.20. Repair methods
- 19.21. Landfill slopes – see Chapter 26.
- 19.22. Slopes involving geosynthetics – see Chapter 27.
- 19.23. Problems and solutions

20. COMPACTION

- 20.1. General
- 20.2. Compaction laboratory tests

- 20.3. Compaction field tests
- 20.4. Compaction and soil type
- 20.5. Intelligent roller compaction
 - 20.5.1. Soil modulus from vibratory rollers
 - 20.5.2. Roller measurements as compaction indices
- 20.6. Impact roller compaction
- 20.7. Dynamic or drop-weight compaction

21. RETAINING WALLS

- 21.1. Different types (top–down, bottom–up)
- 21.2. Active, at rest, passive earth pressure and displacement in between
- 21.3. Earth pressure theories
 - 21.3.1. Coulomb earth pressure theory (1776)
 - 21.3.2. Rankine earth pressure theory (1857)
 - 21.3.3. Earth pressure theory by Mohr circle
 - 21.3.4. Water in the case of compression stress (saturated)
 - 21.3.5. Water in the case of tension stress (unsaturated or saturated)
 - 21.3.6. Influence of surface loading (line load, pressure)
 - 21.3.7. General case and earth pressure profiles
- 21.4. Special case of undrained behavior of fine grained soils
- 21.5. At rest earth pressure
- 21.6. Earth pressure due to compaction
- 21.7. Earth pressures in shrink swell soils
- 21.8. Displacements
- 21.9. Gravity walls
- 21.10. Mechanically stabilized earth walls or MSE walls
- 21.11. Cantilever top-down walls
- 21.12. Anchored walls and strutted walls
- 21.13. Soil nail walls
- 21.14. Special case of trenches
- 21.15. Problems and solutions

22. . SOIL DYNAMICS AND EARTHQUAKE GEO-ENGINEERING

- 22.1 Background
- 22.2 Earthquake magnitude
- 22.3 Wave propagation
- 22.4 Dynamic soil properties
- 22.5 Ground motion
- 22.6 Seismic hazard analysis
- 22.7 Ground response analysis
 - 22.7.1 One dimensional solution for undamped linear soil and rigid rock
 - 22.7.2 One dimensional Solution for damped linear soil on rigid rock
 - 22.7.3 Layered soils
- 22.8 Design parameters

- 22.8.1. Site classes A through E for different soil stiffness
- 22.8.2. Code based spectrum
- 22.8.3. Hazard levels
- 22.9 Liquefaction
 - 22.9.1. Phenomenon
 - 22.9.2. When to do a liquefaction study
 - 22.9.3. When can a soil liquefy?
- 22.10 Seismic slope stability
- 22.11 Seismic design of retaining walls
 - 22.11.1. Seismic design of gravity walls
 - 22.11.2. Water pressures on walls during earthquake
 - 22.11.3. Seismic design of MSE walls
 - 22.11.4. Seismic design of cantilever walls
 - 22.11.5. Seismic design of anchored walls
- 22.12 Seismic design of foundations
- 22.13 Problems and solutions

23. EROSION OF SOILS AND SCOUR PROBLEMS

- 23.1 The erosion phenomenon
- 23.2 Erosion models
- 23.3 Measuring the erosion function
- 23.4 Soil erosion categories
- 23.5 Rock erosion
- 23.6 Water velocity
- 23.7 Geometry of the obstacle
- 23.8 Bridge scour
 - 23.8.1. Maximum scour depth, z_{max} , analysis
 - 23.8.2. Maximum shear stress at soil water boundary when scour begins
 - 23.8.3. Final scour depth, z_{final} , analysis for constant velocity flow and uniform soil
 - 23.8.4. Final scour depth, z_{final} , analysis for a velocity hydrograph and layered soil
 - 23.8.5. The Woodrow Wilson Bridge case history (Kwak et al. 2002)
- 23.9 River meandering
 - 23.9.1. River meandering
 - 23.9.2. The Brazos River meander case history (Park, 2007)
- 23.10 Levee overtopping
 - 23.10.1. General methodology
 - 23.10.2. New Orleans – Katrina hurricane levee case history (Briaud, 2006b)
- 23.11 Countermeasures for erosion protection
- 23.12 Internal erosion of earth dams
 - 23.12.1. The phenomenon
 - 23.12.2. Most susceptible soils
 - 23.12.3. Criterion to evaluate internal erosion potential
 - 23.12.4. Remedial measures
- 23.13. Problems and solutions

24. GEOENVIRONMENTAL ENGINEERING

- 24.1 Introduction
- 24.2 Types of wastes and contaminants
- 24.3 Laws and regulations
- 24.4 Geochemistry background
 - 24.4.1. Chemistry background
 - 24.4.2. Geo-chemistry background
- 24.5 Contamination
 - 24.5.1. Contamination sources
 - 24.5.2. Contamination detection and site characterization
 - 24.5.3. Contaminant transport and fate
- 24.6 Remediation
 - 24.6.1. Risk assessment and strategy
 - 24.6.2. In situ waste containment
 - 24.6.3. Soil remediation
 - 24.6.4. Ground water remediation
- 24.7 Landfills
 - 24.7.1. Waste properties
 - 24.7.2. Regulations
 - 24.7.3. Liners
 - 24.7.4. Covers
 - 24.7.5. Leachate collection
 - 24.7.6. Landfill slopes
 - 24.7.7. Gas generation and management
- 24.8 Future considerations
- 24.9 Problems and solutions

25. GEOSYNTHETICS

- 25.1 General
- 25.2 Types of geosynthetics
- 25.3 Properties of geosynthetics
 - 25.3.1. Properties of geotextiles
 - 25.3.2. Properties of geomembranes
 - 25.3.3. Properties of geogrids
 - 25.3.4. Properties of geosynthetics clay liners (GCL)
 - 25.3.5. Properties of geofoams
 - 25.3.6. Properties of geonets
- 25.4 Design for separation
- 25.5 Design of liners and covers
- 25.6 Design for reinforcement
 - 25.6.1. Road reinforcement
 - 25.6.2. Mechanically Stabilized Earth (MSE) geosynthetic walls
 - 25.6.3. Reinforced slopes
 - 25.6.4. Reinforced foundations and embankments

- 25.7 Design for filtration and drainage
- 25.8 Design for erosion control
- 25.9 Other design applications
 - 25.9.1. Light weight fills
 - 25.9.2. Compressible inclusions
 - 25.9.3. Thermal insulation
 - 25.9.4. Geosynthetics and landfill slopes
- 25.10. Problems and solutions

26. GROUND IMPROVEMENTS

- 26.1 Overview
- 26.2 Soil improvement without admixture in coarse grained soils
 - 26.2.1. Compaction
 - 26.2.2. Dynamic compaction
 - 26.2.3. Vibrocompaction
 - 26.2.4. Other methods
- 26.3 Soil improvement without admixture in fine grained soils
 - 26.3.1. Displacement – replacement
 - 26.3.2. Preloading using fill
 - 26.3.3. Prefabricated vertical drains and preloading using fill
 - 26.3.4. Preloading using vacuum
 - 26.3.5. Electro osmosis
 - 26.3.6. Hydro-blasting compaction
 - 26.3.7. Ground freezing
- 26.4 Soil improvement with replacement
 - 26.4.1. Stone columns without geosynthetic sock
 - 26.4.2. Stone columns with geosynthetic encasement
 - 26.4.3. Dynamic replacement
- 26.5 Soil improvement with grouting and admixtures
 - 26.5.1. Particulate grouting
 - 26.5.2. Chemical grouting
 - 26.5.3. Jet grouting
 - 26.5.4. Compaction grouting
 - 26.5.5. Compensation grouting
 - 26.5.6. Mixing method
 - 26.5.7. Lime treatment
 - 26.5.8. Microbial methods
- 26.6 Soil improvement with inclusions
 - 26.6.1. Mechanically or geosynthetically stabilized Earth
 - 26.6.2. Ground anchors and soil nails
 - 26.6.3. Geosynthetic mat and column supported embankment
- 26.7 Selection of soil improvement method
- 26.8 Problems and solutions

27. TECHNICAL COMMUNICATIONS

- 27.1 General
- 27.2 E-mails
- 27.3 Letters
- 27.4 Geotechnical Reports
- 27.5 Theses and Dissertations
- 27.6 Visual Aids for Reports
- 27.7 Phone Calls
- 27.8 Meetings
- 27.9 Presentations and Power Point Slides
- 27.10 Media Interaction
- 27.11 Ethical Behavior
- 27.12 Belong to Your Professional Society
- 27.13 Rules for a Successful Career

REFERENCES

SUBJECT INDEX